Spatial and temporal distribution of phycotoxins throughout lower Chesapeake Bay

Michelle D. Onofrio, Todd A. Egerton, Kimberly S. Reece, Sarah K.D. Pease, Caroline DeMent, Marta P. Sanderson, Bill Jones III, Allen R. Place, Evan Yeargan, Juliette L. Smith










HAB species in Chesapeake Bay

- Bloom forming species
 - Margalefidinium polykrikoides unidentified
 - Alexandrium monilatum goniodomin A
 - Chattonella subsalsa brevetoxin-like compounds
 - Karlodinium veneficum karlotoxins
 - *Microcystis* spp. microcystins
- Non-bloom forming species
 - Dinophysis spp. okadaic acid, dinophysistoxins, pectenotoxins
 - Pseudo-nitzschia spp. domoic acid
 - Others??





Karlodinium veneficum





Pseudo-nitzschia pungens

Dinophysis acuminata

- Solid Phase Adsorption Toxin Tracking (SPATT)
 - Passive sampling relative toxin measurements



- Solid Phase Adsorption Toxin Tracking (SPATT)
 - Passive sampling relative toxin measurements





- Solid Phase Adsorption Toxin Tracking (SPATT)
 - Passive sampling relative toxin measurements



- 1. Conduct field study (Apr. 2017-Jun. 2018)
- 2. Develop multi-toxin UPLC-MS/MS quantification method (Jan. 2018 Jan. 2019)

- Solid Phase Adsorption Toxin Tracking (SPATT)
 - Passive sampling relative toxin measurements



- 1. Conduct field study (Apr. 2017-Jun. 2018)
- 2. Develop multi-toxin UPLC-MS/MS quantification method (Jan. 2018 Jan. 2019)
- 3. Develop bulk, multi-toxin SPATT extraction method (Jun. 2018 Feb. 2019)

- Solid Phase Adsorption Toxin Tracking (SPATT)
 - Passive sampling relative toxin measurements



- 1. Conduct field study (Apr. 2017-Jun. 2018)
- 2. Develop multi-toxin UPLC-MS/MS quantification method (Jan. 2018 Jan. 2019)
- 3. Develop bulk, multi-toxin SPATT extraction method (Jun. 2018 Feb. 2019)
- 4. Data analysis (Jun. 2019 Feb. 2020)

- Solid Phase Adsorption Toxin Tracking (SPATT)
 - Passive sampling relative toxin measurements



- 1. Conduct field study (Apr. 2017-Jun. 2018)
- 2. Develop multi-toxin UPLC-MS/MS quantification method (Jan. 2018 Jan. 2019)
- 3. Develop bulk, multi-toxin SPATT extraction method (Jun. 2018 Feb. 2019)
- 4. Data analysis (Jun. 2019 Feb. 2020)

12 sites sampled biweekly

- May 2017 June 2018
- Tributaries, bayside Eastern Shore, seaside Eastern Shore




12 sites sampled biweekly

- May 2017 June 2018
- Tributaries, bayside Eastern
 Shore, seaside Eastern Shore

SPATT samples





12 sites sampled biweekly

- May 2017 June 2018
- Tributaries, bayside Eastern
 Shore, seaside Eastern Shore

SPATT samples

Whole water surface samples

Cell ID by microscopy





12 sites sampled biweekly

- May 2017 June 2018
- Tributaries, bayside Eastern
 Shore, seaside Eastern Shore

SPATT samples

Whole water surface samples

Cell ID by microscopy



8-Cherrystone 1.0-Lynnhaven

Within ALL sites...

Toxins detected:

- OA
- DTX1
- PTX2
- GDA
- AZA1
- AZA2
- MC-LR
- DA

Within ALL sites...

Toxins detected:

- OA
- DTX1
- PTX2
- GDA
- AZA1
- AZA2
- MC-LR
- DA

Toxins not detected:

- DTX2
- MC-YR
- MC-RR
- YTX
- KmTx 1
- KmTx 3
- PbTx-2

Within ALL sites...

Toxins detected:

- OA
- DTX1
- PTX2
- GDA
- AZA1
- AZA2
- MC-LR
- DA

Toxins not detected:

- DTX2
- MC-YR
- MC-RR
- YTX
- KmTx 1
- KmTx 3
- PbTx-2

Overall trends:

OA, DTX1, PTX2 always detectable


Among the first reports of AZA1 and AZA2 in Chesapeake Bay/US waters

Low concentrations

Among the first reports of DA in Chesapeake Bay waters

Results: Spatial and temporal distribution


Toxin presence indicated by




GDA


Alexandrium monilatum


Ichthyotoxic





Alexandrium monilatum





40 - 50

30 - 40

20 - 30

15 - 20

10 - 15

7 - 10

5 - 7

3 - 5


1 - 3


0.7 - 1

0.4 - 0.7

0.1 - 0.4

< 0.1





40 - 50

30 - 40

20 - 30

15 - 20

10 - 15

7 - 10

5 - 7

3 - 5


1 - 3


0.7 - 1

0.4 - 0.7

0.1 - 0.4

< 0.1







>50 40 - 50 30 - 40 20 - 30 15 - 20 10 - 15 7 - 10 5 - 7 3 - 5 1 - 3 0.7 - 10.4 - 0.7

0.1 - 0.4

< 0.1





40 - 50

30 - 40

20 - 30

15 - 20

10 - 15

7 - 10

5 - 7

3 - 5


1 - 3


0.7 - 1

0.4 - 0.7

0.1 - 0.4

< 0.1





PTX2

Dinophysis spp.

Regulated in EU (toxicity?)



Dinophysis acuminata




OA, DTX1

Dinophysis spp.

Prorocentrum lima

Diarrhetic Shellfish Poisoning








Dinophysis acuminata





40 - 50

30 - 40

20 - 30

15 - 20

10 - 15

7 - 10

5 - 7

3 - 5


1 - 3


0.7 - 1

0.4 - 0.7

0.1 - 0.4

< 0.1





40 - 50

30 - 40

20 - 30

15 - 20

10 - 15

7 - 10

5 - 7

3 - 5


1 - 3


0.7 - 1

0.4 - 0.7

0.1 - 0.4

< 0.1





40 - 50

30 - 40

20 - 30

15 - 20

10 - 15

7 - 10

5 - 7

3 - 5


1 - 3


0.7 - 1

0.4 - 0.7

0.1 - 0.4

< 0.1





40 - 50

30 - 40

20 - 30

15 - 20

10 - 15

7 - 10

5 - 7

3 - 5


1 - 3


0.7 - 1

0.4 - 0.7

0.1 - 0.4

< 0.1






Azadinium spp.
Amphidoma languida

Azaspiracid Shellfish Poisoning





Azadinium spinosum







- >0.031
- 0.028 0.031
- 0.025 0.028
- 0.022 0.025
- 0.019 0.022
- 0.016 0.019
- 0.013 0.016
- 0.010 0.013
- 0.007 0.010
- 0.004 0.007
- . 0.001 0.004
- < 0.001







- >0.031
- 0.028 0.031
- 0.025 0.028
- 0.022 0.025
- 0.019 0.022
- 0.016 0.019
- 0.013 0.016
- 0.010 0.013
- 0.007 0.010
- 0.004 0.007
- . 0.001 0.004
- < 0.001







- >0.031
- 0.028 0.031
- 0.025 0.028
- 0.022 0.025
- 0.019 0.022
- 0.016 0.019
- 0.013 0.016
- 0.010 0.013
- 0.007 0.010
- 0.004 0.007
- . 0.001 0.004
- < 0.001





- >0.031
- 0.028 0.031
- 0.025 0.028
- 0.022 0.025
- 0.019 0.022
- 0.016 0.019
- 0.013 0.016
- 0.010 0.013
- 0.007 0.010
- 0.004 0.007
- . 0.001 0.004
- < 0.001






Azadinium spp.
Amphidoma languida

Azaspiracid Shellfish Poisoning

HO
$$\frac{R_1}{s}$$
 $\frac{R_2}{s}$ $\frac{R_3}{h}$ $\frac{R_4}{h}$ \frac



Azadinium spinosum




Pseudo-nitzschia spp.

Amnesic Shellfish Poisoning





Pseudo-nitzschia pungens



























MC-LR

Multiple cyanobacterial species, including *Microcystis* spp.



Microcystis aeruginosa



Current and Future Directions

- Oysters deployed in 2019
- Molecular techniques for Azadinium spp. (K. Reece, VIMS)
- Continued sampling (VDH + VIMS)
- Can we relate SPATT concentrations to water, oysters?



Acknowledgements



NOAA Sea Grant

Smith Lab (VIMS):

Juliette Smith, Marta Sanderson, Sarah Pease, Jackie Friedman, Gao Han, Nour Ayache, I-Shuo Wade Huang, Caroline DeMent, Jeffrey O'Brien, Madison Powell

Reece Lab (VIMS):

Kim Reece, Gail Scott, Bill Jones

Virginia Department of Health:

Todd Egerton, Evan Yeargan, Adam Wood, Amanda Roach

Committee:

Allen Place, Michael Unger, William Reay







